

**PYTHON LIST
CLASS XI
(MODULE - 3)
BY**

**Mrs. SUJATA PRADHAN,
PGT(SS),AECS,ANUPURAM**


Python List Methods

Python has a lot of list methods that allow us to work with lists.

Methods or **functions**, used in lists are used to manipulate the data quickly.

syntax:

list name.method name(element/index/list)



Python List Method : append()

The **append()** method adds an item to the end of the list.

The syntax of the append() method is:

```
list.append(item)
```

append() method takes a single argument(item) which is added at the end of the list.The item can be numbers, strings, dictionaries, another list, and so on.

Example:

```
A = [10,20,30 ]
```

```
A.append(15)
```

```
print('Updated list: ', A)
```

Output

```
Updated list: [10,20,30,15]
```

Python List Method : extend()

The **extend()** method adds all the elements of an iterable (list, tuple, string etc.) to the end of the list.

The syntax of the extend() method is:

list1.extend(iterable)

All the elements of iterable are added to the end of list1.

extend() method takes an iterable such as list, tuple, string etc.

Example:

```
language = ['Hindi', 'English']  
language1 = ['Urdu', 'Sanskrit']  
language.extend(language1)  
print('Language List:', language)
```

Output

```
Language List: ['Hindi', 'English', 'Urdu', 'Sanskrit']
```

Python List Method : insert()

The list **insert()** method inserts an element to the list at the specified index.

The syntax of the insert() method is

list.insert(index, element)

Here, element is inserted to the list at the ith index.

insert() method takes two parameters:

index - the index where the element needs to be inserted

element - this is the element to be inserted in the list

Example:

```
vowel = ['a', 'e', 'i', 'u']
```

```
vowel.insert(3, 'o')
```

```
print('Updated List:', vowel)
```

Output

```
Updated List: ['a', 'e', 'i', 'o', 'u']
```

Python List remove()

The **remove()** method removes the matching element (which is passed as an argument) from the list.

The syntax of the remove() method is:

list.remove(element)

remove() method takes a single element as an argument and removes it from the list.

list.remove(x)

Example:

```
animals = ['cat', 'dog', 'rabbit', 'cow']  
animals.remove('rabbit')  
print('Updated animals list: ', animals)
```

Output

```
Updated animals list: ['cat', 'dog', 'cow']
```

Python List count()

The **count()** method returns the number of times the specified element appears in the list.

The syntax of the count() method is:

```
list.count(element)
```

The **count()** method takes a single argument:

element - the element to be counted

Example:

```
vowels = ['a', 'e', 'i', 'o', 'i', 'u']  
count = vowels.count('i')  
print('The count of i is:', count)  
count = vowels.count('p')  
print('The count of p is:', count)
```

Output

```
The count of i is: 2  
The count of p is: 0
```

Python List index()

The **index()** method returns the index of the element.

The syntax of the list index() method is:

list.index(element, start, end)

The list index() method can take a maximum of three arguments:

element - the element to be searched

start (optional) - start searching from this index

end (optional) - search the element up to this index

Example:

```
vowels = ['a', 'e', 'i', 'o', 'i', 'u']
```

```
index = vowels.index('e')
```

```
print('The index of e:', index)
```

```
index = vowels.index('i')
```

```
print('The index of i:', index)
```

Output

```
The index of e: 1
```

```
The index of i: 2
```


Python List pop()

The **pop()** method removes the item at the given index from the list and returns the removed item.

The syntax of the pop() method is:

list.pop(index)

The pop() method takes a single argument (index).

The argument passed to the method is optional. If not passed, the default index **-1** is passed as an argument (index of the last item).

```
languages = ['Python', 'Java', 'C++', 'French', 'C']  
return_value = languages.pop(3)  
print('Return Value:', return_value)  
print('Updated List:', languages)
```

Output

```
Return Value: French Updated List: ['Python', 'Java', 'C++', 'C']
```

Python List reverse()

The **reverse()** method reverses the elements of the list.

The syntax of the reverse() method is:

```
list.reverse()
```

reverse() method doesn't take any arguments.

Example:

```
systems = ['Windows', 'macOS', 'Linux']  
print('Original List:', systems)  
systems.reverse()  
print('Updated List:', systems)
```

Output

```
Original List: ['Windows', 'macOS', 'Linux']  
Updated List: ['Linux', 'macOS', 'Windows']
```

Python List sort()

The **sort()** method sorts the elements of a given list in a specific ascending or descending order.

The syntax of the sort() method is:

```
list.sort(key=..., reverse=...)
```

sort() doesn't require any extra parameters.

Example 1: Sort a given list

```
vowels = ['e', 'a', 'u', 'o', 'i']
```

```
vowels.sort()
```

```
print('Sorted list:', vowels)
```

Output

```
Sorted list: ['a', 'e', 'i', 'o', 'u']
```

Example 2: Sort the list in Descending order

```
vowels = ['e', 'a', 'u', 'o', 'i']
```

```
vowels.sort(reverse=True)
```

```
print('Sorted list (in Descending):', vowels)
```

Output

```
Sorted list (in Descending): ['u', 'o', 'i', 'e', 'a']
```

Python List copy()

The **copy()** method returns a copy of the list. A list can be copied using the = operator.

Example:

```
old_list = [1, 2, 3]
```

```
new_list = old_list
```

If we modify new_list, old_list is also modified.

```
old_list = [1, 2, 3]
```

```
new_list = old_list
```

```
new_list.append('a')
```

```
print('New List:', new_list)
```

```
print('Old List:', old_list)
```

Output

```
Old List: [1, 2, 3, 'a']
```

```
New List: [1, 2, 3, 'a']
```

Python List clear()

The **clear()** method removes all items from the list.

The syntax of clear() method is:

```
list.clear()
```

clear() method doesn't take any parameters.

Example:

```
list = [5, ('a'), ['1.1', 'xyz']]
```

```
list.clear()
```

```
print('List:', list)
```

Output

```
List: []
```

Example:

```
list = [{1, 2}, ('a'), ['1.1', '2.2']] # clearing the list
```

```
del list[:] print('List:', list)
```

Output

```
List: []
```

remove(), pop() and clear() methods

remove(item): Removes specified item from list.

pop(index): Removes the element from the given index.

pop(): Removes the last element.

clear(): Removes all the elements from the list.

Example:

```
X = ['A', 'F', 'B', 'Z', 'O', 'L']
```

```
X.remove('B')
```

```
print(X)
```

```
X.pop(1)
```

```
print(X)
```

```
X.clear()
```

```
print(X)
```

Output:

```
['A', 'F', 'Z', 'O', 'L']
```

```
['A', 'Z', 'O', 'L']
```

```
[]
```

	syntax	example	description
1	a.append(element)	<pre>>>> a=[1,2,3,4,5] >>> a.append(6) >>> print(a) [1, 2, 3, 4, 5, 6]</pre>	Add an element to the end of the list
2	a.insert(index,element)	<pre>>>> a.insert(0,0) >>> print(a) [0, 1, 2, 3, 4, 5, 6]</pre>	Insert an item at the defined index
3	a.extend(b)	<pre>>>> b=[7,8,9] >>> a.extend(b) >>> print(a) [0, 1, 2, 3, 4, 5, 6, 7, 8,9]</pre>	Add all elements of a list to the another list
4	a.index(element)	<pre>>>> a.index(8) 8</pre>	Returns the index of the first matched item
5	a.sort()	<pre>>>> a.sort() >>> print(a) [0, 1, 2, 3, 4, 5, 6, 7, 8]</pre>	Sort items in a list in ascending order
6	a.reverse()	<pre>>>> a.reverse() >>> print(a) [8, 7, 6, 5, 4, 3, 2, 1, 0]</pre>	Reverse the order of items in the list

SUMMARY

Different List methods with syntaxes and examples

- **append()**
- **extend()**
- **insert()**
- **index()**
- **sort()**
- **count()**
- **reverse()**
- **pop()**
- **remove()**
- **clear()**

Thank You